



Formula Review Based on Unit 5 Outcomes



Copyright Larry P. Taylor, Ph.D. All Rights Reserved

LPT

Given name or formula of an element shown below, write the other.

Element	Formula	Element	Formula
Aluminum	Al	Lead	Pb
Argon	Ar	Lithium	Li
Barium	Ba	Magnesium	Mg
Beryllium	Be	Manganese	Mn
Boron	B	Mercury	Hg
Bromine	Br ₂	Neon	Ne
Calcium	Ca	Nickel	Ni
Carbon	C	Nitrogen	N ₂
Chlorine	Cl ₂	Oxygen	O ₂
Chromium	Cr	Phosphorus	P
Cobalt	Co	Potassium	K
Copper	Cu	Silicon	Si
Fluorine	F ₂	Silver	Ag
Helium	He	Sodium	Na
Hydrogen	H ₂	Sulfur	S
Iodine	I ₂	Tin	Sn
Iron	Fe	Zinc	Zn
Krypton	Kr		

Copyright Larry P. Taylor, Ph.D. All Rights Reserved

LPT

Elements which exist as diatomic molecules

H₂ N₂ O₂ F₂ Cl₂ Br₂ I₂



Symbols are the elemental abbreviations found on the periodic table
Formulas are representations of the molecular species (use subscripts)

Copyright Larry P. Taylor, Ph.D. All Rights Reserved

LPT

Classify chemical formula as ionic or molecular

Ionic = cation + anion

most often metal plus non-metal

(far left + far right of periodic table)

conducts electricity (melt or solution)

transfer of electrons from cation to anion



Molecular = not ionic

mostly right of "staircase"

acids

noble halides

electrons shared (covalent bonding)

Copyright Larry P. Taylor, Ph.D. All Rights Reserved

LPT

Given the name or formula of a binary molecular compound,
write the other

First Word

Name of the element appearing first in the formula

Include a prefix to indicate # atoms

Second Word

Name of the element appearing second in the formula,
changed to end in -ide

Include prefix to indicate # atoms

N₂O Dinitrogen Monoxide CO Carbon Monoxide

N₂O₃ Dinitrogen Trioxide CO₂ Carbon Dioxide

Si₂Cl₆ Disilicon Hexachloride P₂O₅ Diphosphorus Pentoxide

Copyright Larry P. Taylor, Ph.D. All Rights Reserved

LPT

Define the following terms:

ion = charged particle, gain or loss of e⁻


monatomic ion = ion from an element; only one atom

cation = positive ion, loss of e⁻, from metal

anion = negative ion, gain of e⁻, from non-metal

Ionization is not a nuclear process


Involves outer shell of valence electrons



Copyright Larry P. Taylor, Ph.D. All Rights Reserved

LPT

H₂O **water** **NH₃** **ammonia**



Copyright Larry P. Taylor, Ph.D. All Rights Reserved

LPT

Common Mono-Atomic Ions

[illegible]

Cop

LPT

Group 1A (1) + (1 understood)

Group 2A (2) 2+

Group 3A (13) 3+

Transition (3-12) form cations with various charges


Ionic Charges

+1	+2				+3	+4	-2	-1	0
Variable Charges									

Copyright Larry P. Taylor, Ph.D. All Rights Reserved

LPT

Group 5A	(15)	3–
Group 6A	(16)	2–
Group 7A	(17)	– (1 understood)



Copyright Larry P. Taylor, Ph.D. All Rights Reserved

LPT




Oxidation number = charge on ion

[illegible]

Copyright Larry P. Taylor, Ph.D. All Rights Reserved

LPT

Ammonium	$(\text{NH}_4)^+$
Acetate	$(\text{C}_2\text{H}_3\text{O}_2)^-$ or $(\text{CH}_3\text{COO})^-$
Hydroxide	$(\text{OH})^-$
Chlorate	$(\text{ClO}_3)^-$
Chlorite	$(\text{ClO}_2)^-$
Nitrate	$(\text{NO}_3)^-$
Nitrite	$(\text{NO}_2)^-$
Sulfate	$(\text{SO}_4)^{2-}$
Hydrogen sulfate	$(\text{HSO}_4)^-$
Sulfite	$(\text{SO}_3)^{2-}$
Carbonate	$(\text{CO}_3)^{2-}$
Hydrogen carbonate	$(\text{HCO}_3)^-$
Phosphate	$(\text{PO}_4)^{3-}$



Copyright Larry P. Taylor, Ph.D. All Rights Reserved

LPT

Given a formula, determine if it will act as an acid.

Acids have form

H (non-metal) like F, Cl, Br, I
H (poly-atomic) like $(\text{SO}_4)^{2-}$, $(\text{PO}_4)^{3-}$, $(\text{ClO}_3)^-$

Acids donate hydrogen ions
Acids are molecular compounds



Copyright Larry P. Taylor, Ph.D. All Rights Reserved

LPT

Given the formula or the name for a binary acid, write the other

Binary Acids = Hydrogen + nonmetal

HYDRO + ROOT + IC ACID

H_2S	hydrosulfuric acid (hydrogen sulfide)
HCl	hydrochloric acid (Muriatic)
HBr	hydrobromic acid
HI	hydroiodic acid
HF	hydrofluoric acid



Copyright Larry P. Taylor, Ph.D. All Rights Reserved

LPT

Given the name of a polyatomic ion, name the corresponding oxoacid.

H + nonmetal + Oxygen H + polyatomic ion

-ate ions	root+ic acid
-ite ions	root+ous acid
HClO_3	chloric acid
HClO_2	chlorous acid
H_2SO_4	sulfuric acid
H_2SO_3	sulfurous acid
HNO_3	nitric acid
HNO_2	nitrous acid



Copyright Larry P. Taylor, Ph.D. All Rights Reserved

LPT

Given the name or formula of an ionic compound, write the other

	name the cation, then the anion as -ide	
BaF ₂	barium fluoride	
CaF ₂	calcium fluoride	
NaBr	sodium bromide	
Mg ₃ N ₂	magnesium nitride	
Al ₂ O ₃	aluminum oxide	(alumina)
Li ₃ P	lithium phosphide	
AlN	aluminum nitride	
CuCl ₂	copper (II) chloride	(cupric chloride)
CuCl	copper (I) chloride	(cuprous chloride)
FeN	iron (III) nitride	(ferric nitride)
Fe ₃ N ₂	iron (II) nitride	(ferrous nitride)
SnCl ₄	tin (IV) chloride	(stannic chloride)
SnCl ₂	tin (II) chloride	(stannous chloride)

Copyright Larry P. Taylor, Ph.D. All Rights Reserved



LPT

Table 3.8 Summary of Nomenclature System		
Substance	Name	Formula
Element	Name of element	Symbol of element, exceptions: H ₂ , N ₂ , O ₂ , F ₂ , Cl ₂ , Br ₂ , I ₂
Compounds made up of two non-metals	First element in formula followed by second, changed to end in -ide; each element preceded by prefix to show the number of atoms in the molecule	Symbol of first element in name followed by symbol of second element, with subscripts to show number of atoms in molecule
Acid	Most common: middle element changed to end in -ic One more oxygen than -ic acid: add prefix per- to name of -ic acid One fewer oxygen than -ic acid: change ending of -ic acid to -ous Two fewer oxygens than -ic acid: add prefix hypo- to name of -ous acid Nonaqueous Prefix hydro- followed by name of anion and element changed to end in -ide	If followed by symbol of nonmetal followed by O (if necessary), each with appropriate subscript. <i>Mnemonic the following:</i> Chloric acid HClO ₄ Nitric acid HNO ₃ Sulfuric acid H ₂ SO ₄ Carbonic acid H ₂ CO ₃ Phosphoric acid H ₃ PO ₄
Monatomic cation	Name of element followed by ion; if element forms more than one monatomic cation, elemental name is followed by ous change in Roman numerals are in parentheses	Symbol of element followed by superscript to indicate charge
Monatomic anion	Name of element changed to end in -ide	Symbol of element followed by superscript to indicate charge
Polyatomic anions from base ionization of oxyacid	Replace -ic in acid name with -ate; or replace -ous in acid name with -ite; followed by ion	Acid formula without hydrogen plus superscript showing negative charge equal to number of hydrogens removed from acid formula
Polyatomic anions from step-by-step oxidation of oxyacid	Hydrogen followed by name of anion from total ionization of acid (dihydroxy in the case of H ₂ PO ₄ ⁻)	Acid formula minus one (or two for H ₂ PO ₄ ⁻ hydrogen), plus superscript showing negative charge equal to number of hydrogens removed from acid formula
Other polyatomic ions	Ammonium ion (hydroxide ion)	NH ₄ ⁺ OH ⁻
Ionic compound	Name of cation followed by name of anion	Formula of cation followed by formula of anion, each taken as many times as necessary to yield a net charge of zero (polyatomic ion formula enclosed in parentheses if taken more than once)
Hydrate	Name of anhydrous compound followed by number prefix hydrate, where (number prefix, indicates the number of water molecules associated with one formula unit of anhydrous compound)	Formula of anhydrous compound followed by "n H ₂ O" where n is number of water molecules associated with one formula unit of anhydrous compound

LPT

Given the formula, or a name from which the formula may be written, determine the number of atoms of each element in the formula.

Count atoms, including waters

Multiply everything inside a parenthesis by the subscript

Ca ₃ (PO ₄) ₂	Fe ₂ S ₃	CuSO ₄ · 5 H ₂ O	Al(ClO ₃) ₃
3 Ca	2 Fe	1 Cu	10 H
2 P	3 S	1 S	5 O
8 O		4 O	9 O
Total 9 O			

Copyright Larry P. Taylor, Ph.D. All Rights Reserved



LPT

Distinguish among atomic mass, molecular mass and formula mass

Atomic Number = $Z \rightarrow$ number protons in nucleus

Mass Number = $A \rightarrow$ protons + neutrons

Atomic Mass = in AMU's, based on Carbon-12

= average weight of atoms in element

1 amu = $1/12$ of mass of carbon-12 atom

Formula Mass = average mass of atoms in formula

typically associated with ionic compounds

Molecular Mass = same as formula mass

= sum of atomic masses in compound

typically associated with molecular compounds



Copyright Larry P. Taylor, Ph.D. All Rights Reserved

LPT

Calculate formula mass of any compound whose formula is known or given

Write formula

Count atoms, multiply # atoms x atomic mass

Sum

Round

NaCl

Na: $1 \times 22.99 = 22.99$

Cl: $1 \times 35.45 = 35.45$

Formula mass = 58.44

$\text{Mg}_3(\text{PO}_4)_2$

Mg: $3 \times 24.31 = 72.93$

P: $2 \times 30.97 = 61.94$

O: $8 \times 16.00 = 128.00$

Formula Mass = 252.87



Copyright Larry P. Taylor, Ph.D. All Rights Reserved

LPT

Define the mole. Identify the number that corresponds to one mole.

Gram-Molecular Mass

Molecular Mass Expressed in grams

Contains Avogadro's Number (6.02×10^{23} molecules or atoms)

One Mole, REGARDLESS OF SOURCE,

Contains 6.02×10^{23} molecules or atoms



Copyright Larry P. Taylor, Ph.D. All Rights Reserved

LPT

Given the number of moles or formula units in any sample, calculate the other

$$1 \text{ mol} = 6.02 \times 10^{23} \text{ atoms}$$



$$\# \text{ atoms} \times \frac{1 \text{ mole}}{6.02 \times 10^{23} \text{ atoms}} = \# \text{ moles}$$

$$\# \text{ moles} \times \frac{6.02 \times 10^{23} \text{ atoms}}{1 \text{ mole}} = \# \text{ atoms}$$

The “Units” tell you where the number goes!



Copyright Larry P. Taylor, Ph.D. All Rights Reserved

LPT

Avogadro Related Problems



Determine the number of formula units in 6.25 moles of Li_3N

$$6.25 \text{ moles} \times \frac{6.02 \times 10^{23} \text{ formula units}}{1 \text{ mole}} = 3.76 \times 10^{24} \text{ formula units}$$

Determine the number of molecules in 9.68 moles of carbon dioxide.

$$9.68 \text{ moles} \times \frac{6.02 \times 10^{23} \text{ molecules}}{1 \text{ mole}} = 5.83 \times 10^{24} \text{ molecules}$$

How many moles are present in 34.67×10^{26} molecules of sucrose?

$$34.67 \times 10^{26} \text{ molecules} \times \frac{1 \text{ mole}}{6.02 \times 10^{23} \text{ molecules}} = 5.759 \times 10^3 \text{ moles}$$

How many molecules are present in 2.5 moles of CO_2 ?

$$2.5 \text{ moles} \times \frac{6.02 \times 10^{23} \text{ molecules}}{1 \text{ mole}} = 1.5 \times 10^{24} \text{ molecules}$$



Copyright Larry P. Taylor, Ph.D. All Rights Reserved

LPT

Define molar mass, or interpret statements in which the term molar mass is used

Molar Mass = gram molecular mass

$$= \text{mass} / \text{mole} = \text{g/mole}$$

= formula mass (in amu's) expressed as grams

= molecular mass (in amu's) expressed as grams



Calculate the molar mass of any substance whose chemical formula is known.

Write formula

Count atoms, multiply # atoms x atomic mass

Sum and round

This gives the formula or molecular mass

Molecular mass is in amu's

Change amu's to grams

This give gram-molecular mass (weight) (molar mass)



Copyright Larry P. Taylor, Ph.D. All Rights Reserved

LPT

Determine Molar Mass



N: $1 \times 14.01 = 14.01$

H: $3 \times 1.008 = 3.024$


Molar Mass = 17.03 g/mole



Mg: $1 \times 24.31 = 24.31$

I: $2 \times 126.9 = 253.8$

Molar Mass = 278.1 g/mole



Ca: $1 \times 40.08 = 40.08$

S: $1 \times 32.07 = 32.07$

O: $4 \times 16.00 = 64.00$

Formula Mass = 136.15

H: $20 \times 1.008 = 20.16$

O: $10 \times 16.00 = 160.00$

Molar Mass = 180.16

Total Molar Mass for the hydrate = $136.15 + 180.16 = 316.31$ g/mole



Copyright Larry P. Taylor, Ph.D. All Rights Reserved

LPT
